



Wabtec Locomotive Private Limited
(erstwhile GE Diesel Locomotive Private Limited)

Locomotive Shed Roza, Post Roza, RS
Shahjahanpur – 243 306, Uttar Pradesh
Tel (+91) 584 235 4000
CIN U35990DL2015PTC285220
Email: nitin.chawla@wabtec.com
Website: www.wabteccorp.com

2023/WLPI/GSO/Roza/Misc/UPPCB/314

Date: 30th June 2023

To,
Regional Officer
E-1219/1, E-Block Rajendra Nagar,
Awas Vikas Colony, Post-Izzat Nagar
Barcilly

Subject: Annual Report (Form IV) under Biomedical waste (Bio- Medical waste Management rules, 2016)

Reference No: BMW Authorization - File no 4899913 dated 06-11-19

Dear Sir,

Please find enclosed duly filled Annual Report (Form 4) for the calendar year 2022 of biomedical waste generation and disposal under Biomedical waste rules 2016

This is for your information please

Thanking you,

Yours Sincerely

Wabtec Locomotive Pvt Limited (Erstwhile GE Diesel Locomotive Pvt limited)


Authorised Signatory



Wabtec Locomotive Private Limited
(erstwhile GE Diesel Locomotive Private Limited)

Locomotive Shed Roza, Post Roza, RS
Shahjahanpur – 243 306, Uttar Pradesh
Tel (+91) 584 235 4000
CIN U35990DL2015PTC285220
Email: nilin.chawla@wabtec.com
Website: www.wabteccorp.com

2023/WLPL/GSO/Roza/Misc/UPPCB/314

Date: 30th June 2023

To,
Regional Officer
E-1219/1, E-Block Rajendra Nagar,
Awas Vikas Colony, Post-Izzat Nagar
Bareilly

Subject: Annual Report (Form IV) under Biomedical waste (Bio- Medical waste Management rules, 2016)

Reference No: BMW Authorization - File no 4899913 dated 06-11-19

Dear Sir,

Please find enclosed duly filled Annual Report (Form 4) for the calendar year 2022 of biomedical waste generation and disposal under Biomedical waste rules 2016

This is for your information please

Thanking you,

Yours Sincerely

Wabtec Locomotive Pvt Limited (Erstwhile GE Diesel locomotive Pvt limited)


Authorised Signatory



S.No	Particulars			
1	Particulars of the Occupier			
	(i) Name of the authorised person (occupier or operator of facility)	Mr Nitin Chawla		
	(ii) Name of HCF or CBMWTF	Occupational Health Centre - Wabtec Locomotive Pvt Limited (Erstwhile GE Diesel Locomotive Pvt Limited)		
	(iii) Address for Correspondence	Wabtec locomotive Pvt Limited (Erstwhile GE Diesel Locomotive Pvt Limited), Post Roza RS, Roza, District Shahjahanpur Pin 242306		
	(iv) Address of Facility	Wabtec locomotive Pvt Limited (Erstwhile GE Diesel Locomotive Pvt Limited), Post Roza RS, Roza, District Shahjahanpur Pin 242306		
	(v) Tel. No, Fax. No	Tel No. (+91) 584 235 4000		
	(vi) E-mail ID	nitin.chawla@wabtec.com		
	(vii) URL of Website	www.wabtec.com		
	(viii) GPS coordinates of HCF or CBMWTF	Latitude: 27.861990 (N Decimal degrees) / Longitude: 79.953851E Decimal degrees)		
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other) Private		
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	BMW Authorisation -file no 4899913 dated 06-11-19 (One Time Validity)		
(xi). Status of Consents under Water Act and Air Act	Valid up to:31 Dec 2024 Ref No. - 167403/UPPCB/Bareilly(UPPCBRO)/CTO/both/SHAHJAHANPUR /2022 dated 22/11/2022			
2	Type of Health Care Facility			
	(i) Bedded Hospital	No. of Beds: Nil		
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Applicable		
3	(iii) License number and its date of expiry			
	BMW Authorisation -file no 4899913 dated 06-11-19 (One Time Validity)			
	Details of CBMWTF			
	NA			
4	(i) Number healthcare facilities covered by CBMWTF			
	NA			
	(ii) No of beds covered by CBMWTF			
	NA			
5	(iii) Installed treatment and disposal capacity of CBMWTF:			
	Kg per day - NA			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF			
	Kg/day - NA			
5	Quantity of waste generated or disposed in Kg per annum (On monthly average basis)			
	Yellow Category : 1.468 kg / annum (0.122 kg / Month)			
	Red Category :3.223 kg / annum (0.268 kg/month)			
	White:1.451 kg / annum (0.120 kg/month)			
	Blue Category :1.827 kg (0.152 kg/month)			
	General Solid waste: Nil			
	Details of the Storage, treatment, transportation, processing and Disposal Facility			
	(i) Details of the on-site storage facility	Size :- Covered Biomedical waste storage Area of Size 4.5 m2		
		Capacity : Separated colour coded bins have been arranged to collect Biomedical waste, stored prior to sending authorised disposal facility		
		Provision of on-site storage : (cold storage or any other provision) - No, Biomedical waste is stored in colour coded bins only		
	(ii) Disposal facilities	Type of treatment equipment	No. of units	Capacity Kg/day
Incinerators				NA
Plasma Pyrolysis				NA
Autoclaves				NA
Microovsva				NA
Hydroclave				NA
Shredder				NA
Needle tip cutter or destroyer				NA
Sharps encapsulation or concrete pit				NA
Deep burial pits:				NA
Chemical disinfection:				NA
Any other treatment equipment:				NA

	(iii) Quantity of recyclable waste sold to authorized recyclers after treatment in kg per annum.	: NA
	(iv) No of vehicles used for collection and transportation of biomedical waste	: NA
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in kg per annum	: NA
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	: S P Green Lights Environment Waste Management LLP
	(vii) List of member HCF not handed over bio-medical waste	: NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	: Yes (MoM Attached)
	Details trainings conducted on BMW	: Yes
7	(i) Number of trainings conducted on BMW Management.	: 2
	(ii) Number of personnel trained	: 8
	(iii) Number of personnel trained at the time of induction	: 53
	(iv) Number of personnel not undergone any training so far	: Nil
	(v) Whether standard manual for training is available?	: Yes, WLPL Guidelines
	(vi) any other information	: NA
8	Details of the accident occurred during the year	:
	(i) Number of Accidents	: 1 Nos, Lost time injury
	(i) Number of Accidents occurred	: 1 Nos, Lost time injury
	(ii) Number of the persons affected	: 1
	(iii) Remedial Action taken (Please attach details if any)	: Engineering controls / Procedure in place, to avoid such incident in future
	(iv) Any Fatality occurred, details	: Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	: NA
	Details of Continuous online emission monitoring systems installed	: NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	: ETP / STP are installed at our premises, Discharge norms are as per statutory requirement. Not defaulted in the year 2022.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	: NA
12	Any other relevant information	:
Certified that the above report is for the period from 1 Jan 2022- 31 Dec 2022		
Date 28-Jun-23	Name and Signature of the Head of the Institution	
Place Shahjahanpur		

Minutes of Meeting – OHC Committee

Member Present: - Dr. Pawan (Doctor), Ravi Sharma (HRM) Amit kabra (EHS), Mukesh Kumar (Admin), Shilpi (Paramedic Staff), Sanjeev (Ambulance Driver)

Date :- 31st March 2022

Salient Point of Discussion

Sl.	Discussion Points	Responsibility	Target Date	Status
1	Trolly stand is required for Oxygen cylinder	Mukesh Tiwari	15 th April 2022	Completed
2	New partition should be kept in OHC.	Mukesh Tiwari	30 th April 2022	Completed
3	Replace side mirror of Ambulance.	Sanjeev / Mukesh Tiwari	10 th April 2022	Completed
4	New almirah should be precured for record keeping	Mukesh Tiwari	30 th April 2022	Completed



Minutes of Meeting – OHC Committee

Member Present: - Dr. Pawan (Doctor), Ravi Sharma (HRM) Amit kabra (EHS), Mukesh Kumar (Admin), Shilpi (Paramedic Staff), Sanjeev (Ambulance Driver)

Date :- 15th September 2022

Salient Point of Discussion

Sl.	Discussion Points	Responsibility	Target Date	Status
1	Establish a tracking mechanism for expired medicine	Mukesh Tiwari	25 Sept 2022	Completed
2	Reverse horn of ambulance is not working (servicing)	Mukesh Tiwari	20 th Sept 2022	Completed
3	Maintain sufficient stock of Rabies injection	Sanjeev / Mukesh Tiwari	18 th Sept 2022	Completed
4	No shift shall be unmanned handover shall take place in presence of both shift staff.	Dr. Pawan / Mukesh Tiwari	30 th Sept 2022	Completed
5	Develop inspection checklist for ambulance.	Mukesh Tiwari	30 th Sept 2022	Completed

